

221

AUG 101

Iron pipe union, conical sealing, male/ male thread according to DIN EN 10226



Article No.	Dimension	Bag	Box
222138R	3/8	5	150
222112R	1/2	5	100
222134R	3/4	5	50
22211R	1	5	30
222112R	1 1/2	5	20

224

AUG 101

Iron pipe union, flat sealing, male/male thread according to DIN EN 10226



Article No.	Dimension	Bag	Box
222434R	3/4	5	50
22241R	1	5	30
2224114R	1 1/4	5	25
2224112R	1 1/2	5	20
22242R	2	2	10

222

AUG 101

Iron pipe union, conical sealing, female/ male thread according to DIN EN 10226



Article No.	Dimension	Bag	Box
222238R	3/8	5	150
222212R	1/2	5	120
222234R	3/4	5	60
22221R	1	5	40
2222114R	1 1/4	5	20
2222112R	1 1/2	5	15
22222R	2	2	10

271

AUG 101

Iron pipe union, conical sealing, female/ female thread according to EN 10226



Article No.	Dimension	Bag	Box
227114R	1/4	5	100
227112R	1/2	5	80
227134R	3/4	5	50
22711R	1	5	40
2271114R	1 1/4	5	20
2271112R	1 1/2	5	15
22712R	2	2	10

223

AUG 101

Iron pipe union, flat sealing, female/male thread according to DIN EN 10226



Article No.	Dimension	Bag	Box
222338R	3/8	5	150
222312R	1/2	5	120
222334R	3/4	5	60
22231R	1	5	40
2223114R	1 1/4	5	30
2223112R	1 1/2	5	20
22232R	2	2	10

272

AUG 101

Iron pipe union, conical sealing, female/ female thread according to EN 10226



Article No.	Dimension	Bag	Box
227212R	1/2	5	80
227234R	3/4	5	50
22721R	1	5	40
2272114R	1 1/4	5	20
2272112R	1 1/2	5	15
22722R	2	2	10

224

AUG 101

Iron pipe union, flat sealing, male/male thread according to DIN EN 10226



Article No.	Dimension	Bag	Box
222412R	1/2	5	100

421

AUG 101

Wall plate for iron pipe, with female thread according to DIN EN ISO 228



Article No.	Dimension	Bag	Box
242112R	1/2	10	90
242134R	3/4	10	60

513

AUG 103

Brass extension with hex socket cap, toothed thread, tempered



Article No.	Dimension	Bag	Box
25133810R	3/8 x 10	10	500
25133815R	3/8 x 15	10	400
25133820R	3/8 x 20	10	350
25133825R	3/8 x 25	10	300
25133830R	3/8 x 30	10	250
25133840R	3/8 x 40	10	200
25133850R	3/8 x 50	10	180
25133880R	3/8 x 80	10	120
251338100R	3/8 x 100	10	120
25131210R	1/2 x 10	10	300
25131215R	1/2 x 15	10	250
25131220R	1/2 x 20	10	200
25131225R	1/2 x 25	10	200
25131230R	1/2 x 30	10	180
25131240R	1/2 x 40	10	130
25131250R	1/2 x 50	10	90
25131265R	1/2 x 65	10	70
25131280R	1/2 x 80	10	90
251312100R	1/2 x 100	10	60
25133410R	3/4 x 10	10	240
25133415R	3/4 x 15	10	150
25133420R	3/4 x 20	10	140
25133425R	3/4 x 25	10	120
25133430R	3/4 x 30	10	100
25133440R	3/4 x 40	10	90
25133450R	3/4 x 50	10	80
25133460R	3/4 x 60	o.r.	o.r.
25133465R	3/4 x 65	10	60
25133480R	3/4 x 80	10	50
251334100R	3/4 x 100	10	40
2513115R	1 x 15	10	120
2513120R	1 x 20	10	100
2513125R	1 x 25	10	70
2513130R	1 x 30	10	70
2513140R	1 x 40	10	60
2513150R	1 x 50	10	50
2513165R	1 x 65	5	45
2513180R	1 x 80	5	40
25131100R	1 x 100	5	30

513

AUG 104

Brass extension with hex socket cap, toothed thread, chrome-plated



Article No.	Dimension	Bag	Box
25133810C	3/8 x 10	10	500
25133815C	3/8 x 15	10	400
25133820C	3/8 x 20	10	350
25133825C	3/8 x 25	10	300
25133830C	3/8 x 30	10	250
25133840C	3/8 x 40	10	200
25133850C	3/8 x 50	10	180
25131210C	1/2 x 10	10	300
25131215C	1/2 x 15	10	250
25131220C	1/2 x 20	10	200
25131225C	1/2 x 25	10	200
25131230C	1/2 x 30	10	150
25131240C	1/2 x 40	10	130
25131250C	1/2 x 50	10	120
25131265C	1/2 x 65	10	70
25131280C	1/2 x 80	10	90
251312100C	1/2 x 100	10	60
25133410C	3/4 x 10	10	240
25133415C	3/4 x 15	10	150
25133420C	3/4 x 20	10	140
25133425C	3/4 x 25	10	120
25133430C	3/4 x 30	10	100
25133440C	3/4 x 40	10	90
25133450C	3/4 x 50	10	80
25133465C	3/4 x 65	10	60
25133480C	3/4 x 80	10	50
251334100C	3/4 x 100	10	40
2513115C	1 x 15	10	120
2513120C	1 x 20	10	100
2513125C	1 x 25	10	70
2513130C	1 x 30	10	70
2513140C	1 x 40	10	70

Product catalogue | 2018 | Threaded fittings from brass and chrome-plated versions

521

AUG 101

Pipe adaptor, with thread according to DIN EN ISO 228



Article No.	Dimension	Bag	Box
252118R	1/8	10	2000
252114R	1/4	10	1000
252138R	3/8	10	600
252112R	1/2	10	400
252134R	3/4	10	200
25211R	1	10	100
252114R	1 1/4		90
252112R	1 1/2		65
25212R	2		36

522

AUG 101

Hexagon Adaptor, male/male thread according to DIN 1254-4



Article No.	Dimension	Bag	Box
252218R	1/8	10	1500
252214R	1/4	10	700
252238R	3/8	10	600
252212R	1/2	10	350
252234R	3/4	10	250
25221R	1	10	150
2522114R	1 1/4		90
2522112R	1 1/2		60
25222R	2		30

522

AUG 102

Hexagon Adaptor, male/male thread according to DIN 1254-4, chrome-plated



Article No.	Dimension	Bag	Box
252218C	1/8	10	1500
252214C	1/4	10	700
252238C	3/8	10	600
252212C	1/2	10	350
252234C	3/4	10	250
25221C	1	10	150
25222C	2		30

523

AUG 101

Pipe adaptor, male/male thread according to DIN EN ISO 228



Article No.	Dimension	Bag	Box
25233840R	3/8 x 40	10	350
25233860R	3/8 x 60	10	300
25233880R	3/8 x 80	10	200
252338100R	3/8 x 100	10	150
25231230R	1/2 x 30	10	350
25231240R	1/2 x 40	10	250
25231250R	1/2 x 50	10	250
25231260R	1/2 x 60	10	160
25231280R	1/2 x 80	10	120
252312100R	1/2 x 100	10	90
252312120R	1/2 x 120		90
252312150R	1/2 x 150		80
252312200R	1/2 x 200		70
25233430R	3/4 x 30	10	220
25233440R	3/4 x 40	10	150
25233450R	3/4 x 50	10	150
25233460R	3/4 x 60	10	120
25233480R	3/4 x 80	10	70
252334100R	3/4 x 100	10	60
252334120R	3/4 x 120		60
252334150R	3/4 x 150		60
252334200R	3/4 x 200		40
2523130R	1 x 30	10	120
2523140R	1 x 40	10	100
2523150R	1 x 50	10	90
2523160R	1 x 60	10	70
2523180R	1 x 80	10	60
25231100R	1 x 100	10	40
25231120R	1 x 120		50
25231150R	1 x 150		36
25231200R	1 x 200		20
252311440R	1 1/4 x 40		80
252311460R	1 1/4 x 60		50
252311480R	1 1/4 x 80		40
2523114100R	1 1/4 x 100		38
2523114120R	1 1/4 x 120		32
2523114150R	1 1/4 x 150		28
2523114200R	1 1/4 x 200		16
252311260R	1 1/2 x 60		48
252311280R	1 1/2 x 80		36
2523112100R	1 1/2 x 100		30
2523112120R	1 1/2 x 120		24
2523112150R	1 1/2 x 150		20
2523112200R	1 1/2 x 200		10

Product catalogue | 2018 | Threaded fittings from brass and chrome-plated versions

523

AUG 101

Pipe adaptor, male/male thread according to DIN EN ISO 228



Article No.	Dimension	Bag	Box
2523280R	2 x 80		20
25232100R	2 x 100		15
25232120R	2 x 120		12
25232150R	2 x 150		12

523

AUG 102

Pipe adaptor, male/male thread according to DIN EN ISO 228, chrome-plated



Article No.	Dimension	Bag	Box
25233840C	3/8 x 40	10	500
25233860C	3/8 x 60	10	300
25233880C	3/8 x 80	10	200
25231230C	1/2 x 30	10	350
25231240C	1/2 x 40	10	250
25231250C	1/2 x 50	10	250
25231260C	1/2 x 60	10	170
25231280C	1/2 x 80	10	120
252312100C	1/2 x 100	10	90
252312120C	1/2 x 120	10	90
252312150C	1/2 x 150	10	80
252312200C	1/2 x 200	10	60
25233440C	3/4 x 40	10	150
25233460C	3/4 x 60	10	120
25233480C	3/4 x 80	10	90
252334100C	3/4 x 100	10	60
252334120C	3/4 x 120	10	60

531

AUG 101

Reducing adaptor, male/male thread according to DIN EN 1254-4



Article No.	Dimension	Bag	Box
25311418R	1/4 x 1/8	10	1000
25313814R	3/8 x 1/4	10	500
25311214R	1/2 x 1/4	10	350
25311238R	1/2 x 3/8	10	400
25313438R	3/4 x 3/8	10	300
25313412R	3/4 x 1/2	10	250
2531112R	1 x 1/2	10	150

531

AUG 101

Reducing adaptor, male/male thread according to DIN EN 1254-4



Article No.	Dimension	Bag	Box
2531134R	1 x 3/4	10	150
25311141R	1 1/4 x 1		70
2531112114R	1 1/2 x 1 1/4		50
25312112R	2 x 1 1/2		36
25312122R	2 1/2 x 2		18

531

AUG 102

Reducing adaptor, male/male thread according to DIN EN 1254-4, chrome-plated



Article No.	Dimension	Bag	Box
2531112114C	1 1/2 x 1 1/4		50
25311418C	1/4 x 1/8	10	1000
25313814C	3/8 x 1/4	10	600
25311214C	1/2 x 1/4	10	350
25311238C	1/2 x 3/8	10	400
25313412C	3/4 x 1/2	10	250
2531112C	1 x 1/2	10	150
2531134C	1 x 3/4	10	150

541

AUG 101

Hexagon reducer, female/male thread according to DIN 1254-4



Article No.	Dimension	Bag	Box
25411418R	1/4 x 1/8	10	1000
25413818R	3/8 x 1/8	10	800
25413814R	3/8 x 1/4	10	700
25411218R	1/2 x 1/8	10	500
25411214R	1/2 x 1/4	10	500
25411238R	1/2 x 3/8	10	500
25413414R	3/4 x 1/4	10	300
25413438R	3/4 x 3/8	10	300
25413412R	3/4 x 1/2	10	300
2541138R	1 x 3/8	10	200
2541112R	1 x 1/2	10	180
2541134R	1 x 3/4	10	170
254111412R	1 1/4 x 1/2		140
254111434R	1 1/4 x 3/4		140
25411141R	1 1/4 x 1		140

Product catalogue | 2018 | Threaded fittings from brass and chrome-plated versions

541

AUG 101

Hexagon reducer, female/male thread according to DIN 1254-4



Article No.	Dimension	Bag	Box
254111212R	1 1/2 x 1/2		100
254111234R	1 1/2 x 3/4		100
25411121R	1 1/2 x 1		100
2541112114R	1 1/2 x 1 1/4		100
2541212R	2 x 1/2		55
2541234R	2 x 3/4		55
254121R	2 x 1		55
25412114R	2 x 1 1/4		55
25412112R	2 x 1 1/2		55

541

AUG 102

Hexagon reducer, female/male thread according to DIN 1254-4, chrome-plated



Article No.	Dimension	Bag	Box
25413818C	3/8 x 1/8	10	800
25413814C	3/8 x 1/4	10	700
25411218C	1/2 x 1/8	10	500
25411214C	1/2 x 1/4	10	600
25411238C	1/2 x 3/8	10	500
25413412C	3/4 x 1/2	10	300
2541112C	1 x 1/2	10	180
2541134C	1 x 3/4	10	170
254111412C	1 1/4 x 1/2		165
254111434C	1 1/4 x 3/4		165
25411141C	1 1/4 x 1		165
254111212C	1 1/2 x 1/2		100
25411121C	1 1/2 x 1		100

542

AUG 101

Reducer extension, female/male thread according to DIN 1254-4



Article No.	Dimension	Bag	Box
25421814R	1/8a x 1/4i	10	700
25421438R	1/4a x 3/8i	10	400
25423812R	3/8a x 1/2i	10	350
25421238R	1/2a x 3/8i	10	300
25421234R	1/2a x 3/4i	10	200
2542121R	1/2a x 1i	10	120

542

AUG 101

Reducer extension, female/male thread according to DIN 1254-4



Article No.	Dimension	Bag	Box
25423412R	3/4a x 1/2i	10	200
2542341R	3/4a x 1i	10	120
25421114R	1a x 1 1/4i		45

542

AUG 102

Reducer extension, female/male thread according to DIN 1254-4, chrome-plated



Article No.	Dimension	Bag	Box
25421438C	1/4a x 3/8i	10	400
25423812C	3/8a x 1/2i	10	350
25421234C	1/2a x 3/4i	10	200
2542121C	1/2a x 1i	10	120
25423412C	3/4a x 1/2i	10	200
2542341C	3/4a x 1i	10	120

543

AUG 101

Reducing adaptor, male/female thread, according to DIN EN ISO 228



Article No.	Dimension	Bag	Box
25431234R	1/2i x 3/4a	o.r.	o.r.

551

AUG 101

Coupling, female/female thread according to DIN EN ISO 228



Article No.	Dimension	Bag	Box
255118R	1/8	10	700
255114R	1/4	10	600
255138R	3/8	10	400
255112R	1/2	10	200
255134R	3/4	10	150
25511R	1	10	80
2551114R	1 1/4		50
2551112R	1 1/2		45
25512R	2		25

551

AUG 102

Coupling, female/female thread according to DIN EN ISO 228, chrome-plated



Article No.	Dimension	Bag	Box
255114C	1/4	10	600
255138C	3/8	10	400
255112C	1/2	10	250
255134C	3/4	10	150
25511C	1	10	80

552

AUG 101

Coupling, reduced, female/female thread according to DIN EN ISO 228



Article No.	Dimension	Bag	Box
25523814R	3/8 x 1/4	10	350
25521238R	1/2 x 3/8	10	250
25523412R	3/4 x 1/2	10	150
2552112R	1 x 1/2	10	120
2552134R	1 x 3/4	10	100
255211412R	1 1/4 x 1/2		45
255211434R	1 1/4 x 3/4		60
25521141R	1 1/4 x 1		60
25521121R	1 1/2 x 1		40
2552112114R	1 1/2 x 1 1/4		40
25522112R	2 x 1 1/2		18

552

AUG 102

Coupling, reduced, female/female thread according to DIN EN ISO 228, chrome-plated



Article No.	Dimension	Bag	Box
25523814C	3/8 x 1/4	10	350
25523412C	3/4 x 1/2	10	150
2552112C	1 x 1/2	10	120
2552134C	1 x 3/4	10	100
255211434C	1 1/4 x 3/4		60
25521141C	1 1/4 x 1		60
2552112114C	1 1/2 x 1 1/4		40
25522112C	2 x 1 1/2		18

604

AUG 101

Water meter union for iron pipe, with sealing device, male thread according to DIN EN 10226



Article No.	Dimension	Bag	Box
26041234R	1/2 x 3/4	10	140
2604341R	3/4 x 1	10	80
26041114R	1 x 1 1/4	10	40

604

AUG 102

Water meter union for iron pipe, with sealing device, male thread according to DIN EN 10226, chrome-plated



Article No.	Dimension	Bag	Box
26041234C	1/2 x 3/4	10	140
2604341C	3/4 x 1	10	80

611

AUG 101

Elbow 90°, male/male thread according to DIN EN ISO 228



Article No.	Dimension	Bag	Box
261138R	3/8	10	250
261112R	1/2	10	120
261134R	3/4	10	80
26111R	1	10	40

611

AUG 102

Elbow 90°, male/male thread according to DIN EN ISO 228, chrome-plated



Article No.	Dimension	Bag	Box
261112C	1/2	10	120
261134C	3/4	10	80
26111C	1	10	40

Product catalogue | 2018 | Threaded fittings from brass and chrome-plated versions

612

AUG 101

Elbow 90°, female/female thread according to DIN EN ISO 228



Article No.	Dimension	Bag	Box
261218R	1/8	10	600
261214R	1/4	10	400
261238R	3/8	10	200
261212R	1/2	10	140
261234R	3/4	10	80
26121R	1	10	40
2612114R	1 1/4		25
2612112R	1 1/2		15
26122R	2		14

612

AUG 102

Elbow 90°, female/female thread according to DIN EN ISO 228, chrome-plated



Article No.	Dimension	Bag	Box
261238C	3/8	10	200
261212C	1/2	10	140
261234C	3/4	10	80
26121C	1	10	40

613

AUG 101

Elbow 90°, female/male thread according to DIN EN ISO 228



Article No.	Dimension	Bag	Box
261314R	1/4	10	300
261338R	3/8	10	150
261312R	1/2	10	140
261334R	3/4	10	60
26131R	1	10	40
2613114R	1 1/4	5	25
2613112R	1 1/2	5	15
26132R	2		10

613

AUG 102

Elbow 90°, female/male thread according to DIN EN ISO 228, chrome-plated



Article No.	Dimension	Bag	Box
261314C	1/4	10	300
261338C	3/8	10	150
261312C	1/2	10	140
261334C	3/4	10	60
26131C	1	10	40
2613114C	1 1/4		25

614

AUG 101

Elbow 45°, female/female thread according to DIN EN ISO 228



Article No.	Dimension	Bag	Box
261438R	3/8	10	300
261412R	1/2	10	180
261434R	3/4	10	100
26141R	1	10	50

614

AUG 102

Elbow 45°, female/female thread according to DIN EN ISO 228, chrome-plated



Article No.	Dimension	Bag	Box
261412C	1/2	10	180
261434C	3/4	10	100

615

AUG 101

Elbow 45°, with female thread according to DIN EN ISO 228 and male thread according to DIN EN 10226



Article No.	Dimension	Bag	Box
261538R	3/8	10	250
261512R	1/2	10	170
261534R	3/4	10	100
26151R	1	10	50

Product catalogue | 2018 | Threaded fittings from brass and chrome-plated versions

615

AUG 102

Elbow 45°, female/female thread according to DIN EN ISO 228, chromeplated



Article No.	Dimension	Bag	Box
261538C	3/8	10	250
261512C	1/2	10	170
261534C	3/4	10	100

622

AUG 101

Tee, female threads according to DIN EN ISO 228



Article No.	Dimension	Bag	Box
262218R	1/8	10	400
262214R	1/4	10	300
262238R	3/8	10	150
262212R	1/2	10	100
262234R	3/4	10	60
26221R	1	10	30
2622114R	1 1/4		20
2622112R	1 1/2	5	10
26222R	2	2	8

622

AUG 102

Tee, female threads according to DIN EN ISO 228, chrome-plated



Article No.	Dimension	Bag	Box
262238C	3/8	10	150
262212C	1/2	10	100
262234C	3/4	10	60
26221C	1	10	30
2622112C	1 1/2		12

626

AUG 101

Tee, reduced, female threads according to DIN EN ISO 228



Article No.	Dimension	Bag	Box
26261238R	1/2 x 3/8	10	100

626

AUG 101

Tee, reduced, female threads according to DIN EN ISO 228



Article No.	Dimension	Bag	Box
26263412R	3/4 x 1/2	10	60
2626112R	1 x 1/2	10	40
2626134R	1 x 3/4	10	30
262611412R	1 1/4 x 1/2	5	20

626

AUG 102

Tee, reduced, female threads according to DIN EN ISO 228, chrome-plated



Article No.	Dimension	Bag	Box
26263412C	3/4 x 1/2	10	60

641

AUG 102

Double Adaptor (fork), with 1 male thread and 2 female threads according to DIN EN ISO 228, chrome-plated



Article No.	Dimension	Bag	Box
264112C	1/2		50

751

AUG 101

Plug, with male thread according to DIN EN ISO 228



Article No.	Dimension	Bag	Box
275118R	1/8	10	2000
275114R	1/4	10	800
275138R	3/8	10	700
275112R	1/2	10	500
275134R	3/4	10	300
27511R	1	10	220
2751114R	1 1/4		140
2751112R	1 1/2		70
27512R	2		55

Product catalogue | 2018 | Threaded fittings from brass and chrome-plated versions

751

AUG 102

Plug, with male thread according to DIN EN ISO 228, chrome-plated



Codice articolo	Dimensione	Busta	Cartone	Prezzo
275114C	1/4	10	800	
275138C	3/8	10	800	
275112C	1/2	10	500	
275134C	3/4	10	300	
27511C	1	10	220	
2751112C	1 1/2		70	

911

AUG 101

Hexagon nut, brass, according to DIN EN ISO 228



Article No.	Dimension	Bag	Box	
291114R	1/4 SW 22	10	1000	
291138R	3/8 SW 22	10	1000	
291112R	1/2 SW 27	10	800	
291134R	3/4 SW 34	10	600	
29111R	1 SW 37	10	400	
2911114R	1 1/4 SW 50	10	250	
2911112R	1 1/2 SW 60	10	120	
29112R	2 SW 70	2	100	

761

AUG 101

Cap, female thread according to DIN EN ISO 228



Article No.	Dimension	Bag	Box	
276114R	1/4	10	1000	
276138R	3/8	10	700	
276112R	1/2	10	400	
276134R	3/4	10	300	
27611R	1	10	180	
2761114R	1 1/4		150	
2761112R	1 1/2		120	
27612R	2		80	

911

AUG 102

Hexagon nut, brass, according to DIN EN ISO 228, chrome-plated



Article No.	Dimension	Bag	Box	
291114C	1/4 SW 22	10	1000	
291138C	3/8 SW 22	10	1000	
291112C	1/2 SW 27	10	800	
291134C	3/4 SW 34	10	600	
29111C	1 SW 37	10	400	
2911114C	1 1/4 SW 50	10	300	

761

AUG 102

Cap, female thread according to DIN EN ISO 228, chrome-plated



Article No.	Dimension	Bag	Box	
276138C	3/8	10	700	
276112C	1/2	10	500	
276134C	3/4	10	300	
27611C	1	10	240	

976

AUG 101

Mounting unit, thread according to DIN EN ISO 228 and soldering end, edged version



Article No.	Dimension	Bag	Box	
29761512100R	15 x 1/2 x 100		40	

977

AUG 101

Mounting unit, female/female thread according to DIN EN ISO 228, edged version



Article No.	Dimension	Bag	Box	
29771212100R	1/2 x 1/2 x 100		30	
29771212150R	1/2 x 1/2 x 150		25	

Product catalogue | 2018 | Threaded fittings from brass and chrome-plated versions

977F

AUG 101

Mounting unit, female/female thread
according to DIN EN ISO 228,
edged version



Article No.	Dimension	Bag	Box	
2977F1212100R	1/2 x 1/2 x 100		30	